Section 1: Identification

Product identifier			
Product Name	Parts Bath		
Product Code	• 125		
Relevant identified uses	s of the substance or mixture and uses advised against		
Recommended use	Parts cleaning		
Details of the supplier o	f the safety data sheet		
Manufacturer	 Tate Soaps & Surfactants, Inc. 		
Telephone (General)	1500 N. Webster St. Kokomo, IN 46901 United States www.tatesoaps.com • 765-868-4488		
Emergency telephone number			
Manufacturer	• 800-424-9300 - CHEMTREC		

Kork Cleaning Pro

Section 2: Hazard Identification

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

Health	Environmental	Physical
Acute Toxicity - Category 4 (oral)	Aquatic Toxicity - Data unavailable	Flammable Liquid - Noncombustible
Eye Effects - Category 2B		
Skin Corrosion/Irritation - Category 2		
Target Organ Toxicity - Category 3		

Label elements

OSHA HCS 2012

Symbols:	
Hazard Statements:	Precautionary Statements:
Warning Harmful if swallowed Causes skin and eye irritation May cause respiratory irritation	 Prevention Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves. Keep away from open flame – No smoking. Avoid breathing vapors. Use only outdoors or in a well-ventilated area. Response If swallowed: Call a poison center if you fell unwell. Rinse mouth. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Storage Store in a well-ventilated place. Keep cool and tightly closed. Store locked up. Dispose of contents in accordance with local regulations.

Other information - NFPA Rating



Section 3: Composition/Information on Ingredients

Mixtures

Hazardous Components			
Chemical Name	CAS	%(weight)	LD50/LC50
Mineral Spirits	8032-32-4	<80%	Acute oral toxicity: Rat > 5 g/kg

Section 4: First-Aid Measures			
Description of first aid measures			
Inhalation	 If overcome by vapor, remove from exposure and call a physician immediately. If breathing is irregular or stopped, start resuscitation. 		
Skin	 Wash with soap and water. Remove contaminated clothing. Wash before using. 		
Eye	 IF IN EYES: Wash with cool water for at least 15 minutes. Lift lids. Do not rub. Get medical attention immediately. 		
Ingestion	 Do NOT induce vomiting. Dilute by drinking milk or water. Get medical attention immediately 		
Most important sy	mptoms and effects, both acute and delayed		
	. Refer to Section 11 - Toxicological Information.		
Indication of any i	mmediate medical attention and special treatment needed		
Notes to Physician	 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. 		

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • Dry Chemical, CO2, Foam, Sand/Earth

Media	. Avoid the use of streaming water, as this may spread the fire.
Special hazards arising f	om the substance or mixture

Unusual Fire and Explosion Hazards . Treat as petroleum solvent- combustible. Closed containers subject to primary fire may rupture explosively with blast ignition.

manufacturer. It may provide little or no thermal protection. Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk. Use water spray to cool containers exposed to fire.	Hazardous Combustion Products Advice for firefighters	Move containers from fire area if you can do it without risk.
--	---	---

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions	 Wear appropriate protective equipment including respiratory protection as conditions warrant. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. 	
Emergency Procedures	• As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) Keep out of low areas. Keep unauthorized personnel away. Stay upwind. Ventilate closed spaces before entering.	
Environmental precautions		
	. Avoid run off to waterways and sewers.	
Methods and material for containment and cleaning up		
Containment/Clean-up Measures	• Shut off and eliminate all ignition sources. Recover free product. Add sand or absorbent to spill area. Minimize breathing vapors and skin contact. Ventilate cramped spaces. Keep product out of sewers and watercourses by diking or impounding.	

Section 7: Handling and Storage

Precautions for safe handling

Handling	•	Avoid damage to container in handling.
Conditions for safe stora	ige	, including any incompatibilities
Storage	•	Store at room temperature in an area isolated from ignition sources and high heat. Keep from freezing and keep container tightly sealed.
Incompatible Materials or Ignition Sources	•	Keep away from heat, ignition sources oxidizers and strong acids.

Section 8: Exposure Controls/Personal Protection Control Parameters


Exposure Limits/Guidelines				
	Result	ACGIH	OSHA	NIOSH
Mineral Spirits (9016-45-9)	TWAs	No data available	100 ppm	No data available

Exposure controls

Engineering

.

Measures/Controls Personal Protective Equipment Pictograms



Respiratory None under normal use Eye/Face Wear safety goggles or face shields Hands Wear protective gloves -neoprene or nitrile gloves. Skin/Body None under normal use • **General Industrial Hygiene** Handle in accordance with good industrial hygiene and safety practice. Wash Considerations thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas. **Environmental Exposure** Follow best practice for site management and disposal of waste. Avoid release to the environment. Controls Key to abbreviations ACGIH = American Conference of Governmental Industrial Hygiene TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures NIOSH = National Institute of Occupational Safety and Health OSHA = Occupational Safety and Health Administration

Section 9: Physical and Chemical Properties

Information on Physical and Chemical Properties

Appearance/Description	Opalescent blue liquid with mild	7	
	solvent odor		
Odor	Mild solvent odor	Odor Threshold	NDA
Boiling Point	305 °F	Melting Point	Not applicable
рН	NDA	Specific Gravity/Relative @ 20°C	0.810 Water = 1
Density	0.810 g/cc	Solubility	Not soluble in water
Vapor Pressure @ 20°C	< 10 mmHg	Vapor Density@ 20°C	4.8
Evaporation Rate	< 0.1 n-butyl = 1	Flammability	Not applicable
Flash Point	Not applicable	Flammability Limits	Not applicable
Partition Coefficient	NDA	Auto-ignition Temperature	Not applicable
Decomposition Temperature	NDA	Viscosity	NDA

Section 10: Stability and Reactivity

Reactivity	
	. No dangerous reaction known under conditions of normal use.
Chemical stability	
	. Stable under normal temperatures and pressures.
Possibility of hazardous r	eactions
	. Hazardous polymerization will not occur.
Conditions to avoid	
	. Keep from freezing. Keep containers tightly sealed. Store at room temperature isolated from ignition source and heat.
Incompatible materials	
	Strong acids, strong oxidizing agents
Hazardous decomposition	n products
	. Fumes, smoke, Carbon monoxide, Aldehydes in the case of incomplete combustion

Section 11: Toxicological Information

Information on toxicological effects

Component Name	CAS		Data		
Mineral Spirits	8032-32-4	Irritation: N	city: Acute oral toxicity: Rat > 5 g/kg /oderate eye irritation and skin irritation /ve: No data available		
GHS Properties			Classification		
Acute toxicity			OSHA HCS 2012 • Acute Toxicity - Category 4 (oral)		
Aspiration Hazard			OSHA HCS 2012 • Target Organ Toxicity - Category 3		
Carcinogenicity			OSHA HCS 2012 • Classification criteria not met		
Germ Cell Mutagenicity			OSHA HCS 2012 • Classification criteria not met		
Respiratory sensitization			OSHA HCS 2012 • Classification criteria not met		
Serious eye damage/Irritation			OSHA HCS 2012 • Eye Effects - Category 2B		
Skin corrosion/Irritation			OSHA HCS 2012 • Skin Corrosion/Irritation - Category 2		
Skin sensitization			OSHA HCS 2012 • Classification criteria not met		
STOT-RE			OSHA HCS 2012 • Classification criteria not met		
STOT-SE			OSHA HCS 2012 • Classification criteria not met		
Toxicity for Reproduction			OSHA HCS 2012 • Classification criteria not met		
Target Organs	•	No data ava	ailable		
Route(s) of entry/exposu	re 🖕	nhalation,	Skin, Eye, Ingestion		
Potential Health Effects					
Inhalation					
Acute (Immediate)May cause reChronic (Delayed)No data availation		•	espiratory irritation. May cause drowsiness or dizziness. lable.		
Skin					
Acute (Immediate) • Causes skin i			irritation. May cause defatting of the skin.		
Chronic (Delayed) • May be harmi		ay be harm	ful if absorbed through skin.		
Eye					
Acute (Immediate) • Causes mode			erate eye irritation.		
Chronic (Delayed)	• N	o data avail	able.		
Ingestion					
Acute (Immediate)	● H	armful if sw	vallowed. Will cause gastrointestinal problems if ingested.		
Chronic (Delayed)	● No	o data availa	able		

Section 12: Ecological Information Toxicity . NDA. Persistence and degradability . NDA. Bioaccumulative potential . NDA. Mobility in Soil . NDA. Other adverse effects . No studies have been found. Other Information . No data is available on the adverse effects of this material on the environment. Aquatic toxicity values are expected to be in the range of 1 - 10 mg/l based upon data from components and similar products.

Section 13: Di	isposal Considerations	;	

Waste treatment methods

Product waste

 Waste of this product is NOT considered hazardous. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations

Packaging waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NONE
TDG	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NONE
IMO/IMDG	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NONE
IATA/ICAO	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NONE

Special precautions for user

• None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

. This product is provided only in non-bulk containers.

Section 15: Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

• This product contains no chemicals which are listed or ranked by the Hazard Ranking System revised under SARA Title III

U.S. Federal Regulations

- TSCA (Toxic Substance Control Act):
 - All functional components of this product are listed on the TSCA Inventory.
- <u>CERCLA (Comprehensive Response Compensation, and Liability Act):</u>
 - \circ $\;$ This product contains no chemicals which are regulated under CERCLA.
- SARA TITLE III (Superfund Amendments and Reauthorization Act):
 - This product contains no chemicals which are listed or ranked by the Hazard Ranking System revised under SARA Title III
- <u>311/312 Hazard Categories</u>:
 - This product is not reportable under sections 311 / 312
- <u>313 Reportable Ingredients:</u>
 - This product contains no chemicals which are regulated under Section 313 or 304.

State Regulations

- California:
 - This product contains no chemicals which are regulated by the State of California Proposition 65.

Section 16: Other Information		
Last Revision Date	• 05/11/2016	
Preparation Date	• 06/01/2015	
Disclaimer/Statement of Liability	The information contained herein is believed to be accurate but is not warranted to be so Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance the need that information is current, applicable and suited to the circumstances of use. Korkay Cleaning Products assumes no responsibility for injury to vendee or third party person proximity caused by the material if reasonable safety procedures are no adhered to as stipulated in the data sheet. Furthermore, Korkay Cleaning Products assumes no responsibility for injury by abnormal use of this material even if reasonable safety procedures are followed.	

NDA = No data available.