



Section 1: Identification

Product identifier

- Product Name** ● **Captain Mike's Boat Cleaner**
Product Code ● 320

Relevant identified uses of the substance or mixture and uses advised against

- Recommended use** ● Boat cleaning

Details of the supplier of the safety data sheet

- Manufacturer** ● Tate Soaps & Surfactants, Inc.
1500 N. Webster St.
Kokomo, IN 46901
United States
www.tatesoaps.com
Telephone (General) ● 765-868-4488

Emergency telephone number

- Manufacturer** ● 800-424-9300 - CHEMTREC

Section 2: Hazard Identification

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

Health	Environmental	Physical
Acute Toxicity – Category 4 (oral) Eye Effects - Category 2B Skin Corrosion/Irritation - Category 2	Aquatic Toxicity - Data unavailable	Flammable Liquid - Noncombustible

Label elements

OSHA HCS 2012

Symbols:



Hazard Statements:

Warning

Harmful if swallowed.
Causes skin and eye irritation

Precautionary Statements:

Prevention

Wash hands thoroughly after handling.
Wear protective gloves.

Response

If swallowed: Call a poison center if you feel unwell. Rinse mouth.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

If on skin: Wash with plenty of water.

If skin irritation occurs: Get medical attention

Take off contaminated clothing and wash it before reuse.

Disposal

Dispose of contents in accordance with local regulations.

Other information – NFPA Rating



Section 3: Composition/ Information on Ingredients

Mixtures

Hazardous Components			
Chemical Name	CAS	%(weight)	LD50/LC50
Butoxy Ethanol	111-76-2	<5%	Acute oral toxicity: Rat 470 mg/kg Acute dermal toxicity: Rabbit 220 mg/kg
Nonylphenol Ethoxylate	9016-45-9	<2%	Acute dermal toxicity: Guinea Pig > 2000 mg/kg Acute oral toxicity: Rat > 960 mg/kg
Sodium Meta Silicate Pentahydrate	6834-92-0	<2%	Acute oral toxicity: Rat 847 mg/kg

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

- N/A

Skin

- Wash with soap and water. Remove contaminated clothing. Wash before using.

Eye

- IF IN EYES: Wash with cool water for at least 15 minutes. Lift lids. Do not rub. Get medical attention immediately.

Ingestion

- Do NOT induce vomiting. Dilute by drinking milk or water. Get medical attention immediately.

Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media ● Water spray, water fog

Unsuitable Extinguishing Media

- Avoid the use of streaming water, as this may spread the fire.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards ● None. Noncombustible.

Hazardous Combustion Products
Advice for firefighters

- . NDA
- . Structural firefighters' protective clothing will only provide limited protection. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk. Use water spray to cool containers exposed to fire.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Wear appropriate protective equipment including respiratory protection as conditions warrant. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) Keep out of low areas. Keep unauthorized personnel away. Stay upwind. Ventilate closed spaces before entering.

Environmental precautions

- . Avoid run off to waterways and sewers.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

- . Large and small spills may be flushed down sewage drain using plenty of water to dilute.

Section 7: Handling and Storage

Precautions for safe handling

Handling

- Avoid damage to container in handling.

Conditions for safe storage, including any incompatibilities

Storage

- Store at room temperature. Keep from freezing.

Incompatible Materials or Ignition Sources

- . Keep away from heat, ignition sources oxidizers and strong acids.

Section 8: Exposure Controls/Personal Protection Control Parameters

Exposure Limits/Guidelines				
	Result	ACGIH	OSHA	NIOSH
Butoxy Ethanol (111-76-2)	TWAs	20 ppm	240 mg/m ³ 50 ppm	24 mg/m ³ 5 ppm
Nonylphenol Ethoxylate (9016-45-9)	TWAs	10 mg/m ³	No data available	No data available
Sodium Meta Silicate Pentahydrate (6834-92-0)	TWAs	4 mg/m ³ (Inhalable fraction) 1.5 mg/m ³ (Respirable fraction)	15 mg/m ³ (Total dust) 5 mg/m ³ (Respirable fraction)	No data available

Exposure controls

Engineering Measures/Controls

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable exposure limit values.

Personal Protective Equipment

Pictograms

•



Respiratory

- None under normal use
- Wear safety goggles or face shields
- Wear protective gloves –neoprene or nitrile gloves.

Eye/Face

Hands

Skin/Body

- None under normal use
- Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

General Industrial Hygiene Considerations

- Follow best practice for site management and disposal of waste. Avoid release to the environment.

Environmental Exposure Controls

Key to abbreviations

ACGIH= American Conference of Governmental Industrial Hygiene

NIOSH= National Institute of Occupational Safety and Health

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

OSHA = Occupational Safety and Health Administration

Section 9: Physical and Chemical Properties

Information on Physical and Chemical Properties

Appearance/Description	Colorless liquid with mild floral scent		
Odor	Floral scent	Odor Threshold	NDA
Boiling Point	212 °F	Melting Point	Not applicable
pH	12.51	Specific Gravity/Relative @ 20°C	1.019 Water = 1
Density	1.019 g/cc	Solubility	Completely soluble in water
Vapor Pressure @ 22°C	16.97 mmHg	Vapor Density@ 20°C	NDA
Evaporation Rate	1 n-butyl = 1	Flammability	Not applicable
Flash Point	Not applicable	Flammability Limits	Not applicable
Partition Coefficient	NDA	Auto-ignition Temperature	Not applicable
Decomposition Temperature	NDA	Viscosity	NDA

Section 10: Stability and Reactivity

Reactivity

- No dangerous reaction known under conditions of normal use.

Chemical stability

- Stable under normal temperatures and pressures.

Possibility of hazardous reactions

- Hazardous polymerization will not occur.

Conditions to avoid

- Keep from freezing

Incompatible materials

- Strong acids, strong oxidizing agents

Hazardous decomposition products

- Carbon dioxide, carbon monoxide, and ethylene oxide

Section 11: Toxicological Information

Information on toxicological effects

Component Name	CAS	Data
Butoxy Ethanol	111-76-2	Acute Toxicity: Acute oral toxicity: Rat 470 mg/kg. Acute dermal toxicity: Rabbit 220 mg/kg Irritation: Eye and skin irritation Reproductive: May cause adverse reproductive effects based on animal data
Nonylphenol Ethoxylate	9016-45-9	Acute Toxicity: Acute dermal toxicity: Guinea Pig > 2000 mg/kg. Acute oral toxicity: Rat > 960 mg/kg Irritation: Severe eye irritation and mild skin irritation Reproductive: No data available
Sodium Meta Silicate Pentahydrate	6834-92-0	Acute Toxicity: Acute oral toxicity: Rat 847 mg/kg Irritation: Eye irritant and mild skin irritation Reproductive: No data available

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Acute Toxicity – Category 4 (oral)
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Effects - Category 2B
Skin corrosion/Irritation	OSHA HCS 2012 • Skin Corrosion/Irritation - Category 2
Skin sensitization	OSHA HCS 2012 • Classification criteria not met
STOT-RE	OSHA HCS 2012 • Classification criteria not met
STOT-SE	OSHA HCS 2012 • Classification criteria not met
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met

Target Organs ● No data available

Route(s) of entry/exposure ● Inhalation, Skin, Eye, Ingestion

Potential Health Effects

Inhalation

- Acute (Immediate)** ● Not applicable.
- Chronic (Delayed)** ● Not applicable.

Skin

- Acute (Immediate)** ● Causes skin irritation.
- Chronic (Delayed)** ● May be harmful if absorbed through skin and may defat the skin.

Eye

- Acute (Immediate)** ● Causes eye irritation.
- Chronic (Delayed)** ● No data available.

Ingestion

- Acute (Immediate)** ● May be harmful if swallowed. Will cause gastrointestinal problems if ingested.
- Chronic (Delayed)** ● No data available

Section 12: Ecological Information

Toxicity

- . NDA.

Persistence and degradability

- . NDA.

Bioaccumulative potential

- . NDA.

Mobility in Soil

- . NDA.

Other adverse effects

- . No studies have been found.

Other Information

- . No data is available on the adverse effects of this material on the environment. Aquatic toxicity values are expected to be in the range of 1 - 10 mg/l based upon data from components and similar products.

Section 13: Disposal Considerations

Waste treatment methods

Product waste

- Waste of this product is NOT considered hazardous. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NONE
TDG	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NONE
IMO/IMDG	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NONE
IATA/ICAO	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	NONE

Special precautions for user

- None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- . This product is provided only in non-bulk containers.

Section 15: Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications ● This product contains no chemicals which are listed or ranked by the Hazard Ranking System revised under SARA Title III

U.S. Federal Regulations

- TSCA (Toxic Substance Control Act):
 - All functional components of this product are listed on the TSCA Inventory.
- CERCLA (Comprehensive Response Compensation, and Liability Act):
 - This product contains no chemicals which are regulated under CERCLA.
- SARA TITLE III (Superfund Amendments and Reauthorization Act):
 - This product contains no chemicals which are listed or ranked by the Hazard Ranking System revised under SARA Title III
- 311/312 Hazard Categories:
 - This product is not reportable under sections 311 / 312
- 313 Reportable Ingredients:
 - This product contains no chemicals which are regulated under Section 313 or 304.

State Regulations

- California:
 - This product contains no chemicals which are regulated by the State of California Proposition 65.

Section 16: Other Information

Last Revision Date ● 05/11/2016

Preparation Date ● 06/01/2015

Disclaimer/Statement of Liability . The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance the need that information is current, applicable and suited to the circumstances of use. Korkay Cleaning Products assumes no responsibility for injury to vendee or third party person proximity caused by the material if reasonable safety procedures are no adhered to as stipulated in the data sheet. Furthermore, Korkay Cleaning Products assumes no responsibility for injury by abnormal use of this material even if reasonable safety procedures are followed.

Key to abbreviations

NDA = No data available.
